



NVIDIA® Quadro® by PNY

Professional Solutions. Professional Support.



QUADRO FX ULTRA HIGH END	Part No.	Memory Size	Bus Type	Form Factor	Dimensions	Power	Memory Interface	Display Connectors	Max. Displays	HD-SDI Option	G-Sync Option
Quadro FX 5800	VCQFX5800-PCIE-PB	4GB GDDR3	PCIE x16	Full Height	4.376" x 10.5"	189W - Active	512-bit	DVI DL (2), DP, ST	2	✓	✓
Quadro FX 5600	VCQFX5600-PCIE-PB	1.5GB GDDR3	PCIE x16	Full Height	4.376" x 12.28"	171W - Active	384-bit	DVI DL (2), ST	2	✓	✓
Quadro FX 4800	VCQFX4800-PCIE-PB	1.5GB GDDR3	PCIE x16	Full Height	4.376" x 10.5"	146W - Active	384-bit	DVI DL, DP (2), ST	2	✓	✓
Quadro FX 4700 X2	VCQFX4700X2-PCIE-PB	2GB GDDR3 ³	PCIE x16	Full Height	4.376" x 10.5"	226W - Active	256-bit	DVI DL (4), ST	4		✓
Quadro FX 4600	VCQFX4600-PCIE-PB	768MB GDDR3	PCIE x16	Full Height	4.376" x 9.0"	134W - Active	384-bit	DVI DL (2), ST	2	✓	✓
QUADRO FX FOR MAC											
Quadro FX 4800 for MAC	VCQFX4800MACX16-PB	1.5GB GDDR3	PCIE x16	Full Height	4.376" x 10.5"	150W - Active	384-bit	DVI DL (2), ST	2		
QUADRO FX HIGH END											
Quadro FX 3800	VCQFX3800-PCIE-PB	1GB GDDR3	PCIE x16	Full Height	4.376" x 7.8"	107W - Active	256-bit	DVI DL, DP (2), ST	2	✓	
Quadro FX 3700	VCQFX3700-PCIE-PB	512MB GDDR3	PCIE x16	Full Height	4.376" x 9.0"	78W - Active	256-bit	DVI DL (2), ST	2		
QUADRO FX MID RANGE											
Quadro FX 1800	VCQFX1800-PCIE-PB	768MB GDDR3	PCIE x16	Full Height	4.376" x 7.8"	59W - Active	192-bit	DVI DL, DP (2)	2		
Quadro FX 1700	VCQFX1700-PCIE-PB	512MB GDDR2	PCIE x16	Full Height	4.376" x 6.60"	42W - Active	128-bit	DVI DL (2)	2		
QUADRO FX ENTRY LEVEL											
Quadro FX 580	VCQFX580-PCIE-PB	512MB GDDR3	PCIE x16	Full Height	4.376" x 6.88"	40W - Active	128-bit	DVI DL, DP (2)	2		
Quadro FX 570	VCQFX570-PCIE-PB	256MB GDDR2	PCIE x16	Full Height	4.376" x 6.60"	38W - Active	128-bit	DVI DL (2)	2		
Quadro FX 380	VCQFX380-PCIE-PB	256MB GDDR3	PCIE x16	Full Height	4.376" x 6.60"	34W - Active	128-bit	DVI DL (2)	2		
Quadro FX 380 LP	VCQFX380LP-PCIE-PB	512MB GDDR3	PCIE x16	Low Profile ¹	2.731" x 6.60"	28W - Active	64-bit	DVI DL, DP	2		
Quadro FX 370 LP	VCQFX370LP-PCIE-PB	256MB GDDR2	PCIE x16	Low Profile ¹	2.731" x 6.60"	25W - Passive	64-bit	DMS-59 ⁴	2		
QUADRO NVS DUAL MONITOR											
Quadro NVS 290 X16	VCQ290NVS-PCIEX16-PB	256MB GDDR2	PCIE x16	Low Profile ¹	2.731" x 6.60"	21W - Passive	64-bit	DMS-59 ⁴	2		
Quadro NVS 290 X1	VCQ290NVS-PCIEX1-PB	256MB GDDR2	PCIE x1	Low Profile ¹	2.731" x 6.60"	21W - Passive	64-bit	DMS-59 ⁴	2		
Quadro NVS 295 X16 for DisplayPort	VCQ295NVS-X16-PB	256MB GDDR3	PCIE x16	Low Profile ¹	2.731" x 6.60"	23W - Passive	64-bit	DP (2)	2		
Quadro NVS 295 X16 for DVI	VCQ295NVS-X16-DVI-PB	256MB GDDR3	PCIE x16	Low Profile ¹	2.731" x 6.60"	23W - Passive	64-bit	DP to DVI (2)	2		
Quadro NVS 295 X1 for DisplayPort	VCQ295NVS-X1-PB	256MB GDDR3	PCIE x1	Low Profile ¹	2.731" x 6.60"	23W - Passive	64-bit	DP (2)	2		
Quadro NVS 295 X1 for DVI	VCQ295NVS-X1-DVI-PB	256MB GDDR3	PCIE x1	Low Profile ¹	2.731" x 6.60"	23W - Passive	64-bit	DP to DVI (2)	2		
QUADRO NVS QUAD MONITOR											
Quadro NVS 420 x16 for DisplayPort	VCQ420NVS-X16-DP-PB	512MB GDDR3 ²	PCIE x16	Low Profile ¹	2.731" x 6.60"	40W - Active	128-bit	VHDCI (1) ⁵	4		
Quadro NVS 420 x16 for DVI	VCQ420NVS-X16-DVI-PB	512MB GDDR3 ²	PCIE x16	Low Profile ¹	2.731" x 6.60"	40W - Active	128-bit	VHDCI (1) ⁶	4		
Quadro NVS 420 x1 for DisplayPort	VCQ420NVS-X1-DP-PB	512MB GDDR3 ²	PCIE x1	Low Profile ¹	2.731" x 6.60"	40W - Active	128-bit	VHDCI (1) ⁵	4		
Quadro NVS 420 x1 for DVI	VCQ420NVS-X1-DVI-PB	512MB GDDR3 ²	PCIE x1	Low Profile ¹	2.731" x 6.60"	40W - Active	128-bit	VHDCI (1) ⁶	4		
Quadro NVS 450 x16 for DisplayPort	VCQ450NVS-X16-PB	512MB GDDR3 ²	PCIE x16	Full Height	4.376" x 6.60"	35W - Passive	128-bit	DP (4)	4		
Quadro NVS 450 x16 for DVI	VCQ450NVS-X16-DVI-PB	512MB GDDR3 ²	PCIE x16	Full Height	4.376" x 6.60"	35W - Passive	128-bit	DP to DVI (4)	4		

(1) Full Height bracket also supplied; (2) 512MB total frame buffer (256MB GDDR3 memory per GPU); (3) 2GB total frame buffer (1GB GDDR3 memory per GPU); (4) Ships with DMS-59 to 2 DVI adapter; (5) Ships with VHDCI to 4 DP adapter; (6) Ships with VHDCI to 4 DVI adapter
 DP = DisplayPort. Limited 3rd Party availability on DP to VGA converters (non-certified)



NVIDIA® Quadro® by PNY

Professional Solutions. Professional Support.



Quadro FX by PNY



Designed for Professional 3D Applications: CAD/CAE, Digital Content Creation, Scientific, and Visualization.

Quadro Specialty Products



Engineered for industry-specific applications: HD Broadcast, Film and Video, Large Scale Visualization. Quadro Plex, Quadro SDI, and Quadro G-Sync solutions.

Quadro NVS by PNY



Sets new standards for business graphic solutions. Built for industrial and commercial markets including Financial, Enterprise, and Digital Signage.

PNY Technologies



PNY is a leading supplier of top quality products for a wide range of computer and digital storage applications.

PNY Quadro® Advantage

PNY Provides Unsurpassed Service and Commitment to its Professional Graphics Customers

- ✓ 3 year standard warranty
- ✓ Pre-sales support and system configuration assistance
- ✓ Dedicated Quadro Field Application engineers
- ✓ Direct tech support hot lines
- ✓ Support escalation for prompt issue resolution
- ✓ Certified software support and bug reporting
- ✓ Published product support and training materials
- ✓ Support for all workstation brands and complex installations
- ✓ Advanced replacement options for mission-critical deployments
- ✓ Long product life cycles and availability



Features and specifications subject to change without notice. The PNY logo are registered trademarks of PNY Technologies, Inc. All other trademarks are the property of their respective owners. © 2009 PNY Technologies, Inc. All rights reserved.